

A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2001 MERCEDES

ORJ. NO 3564211012 / 3564211212 / 3564210312 / 3054210312

MODEL BUS 0 403 - 0 404 / O350 TOURISMO



POSITION	A	B	H	C	I	N	Ø
F-R	438	45	135	195	235	10	M14x1,5

YVC-2002 MERCEDES

ORJ. NO 94242121129424210912 // 94242112129424200212 // 94242111129424230012 / 9424211012

MODEL ACTROS - AXOR / CITARO - INTEGRO



POSITION	A	B	H	C	I	N	Ø
F-R	430	45	133	211	238	10	M14x1,5

YVC-2003 MERCEDES

ORJ. NO 9754230612 / 9754230312 / 9754230012

MODEL 1517 ATEGO



POSITION	A	B	H	C	I	N	Ø
R	377	45	138	176	201	8	M14x1,5

YVC-2004 MERCEDES

ORJ. NO 9754210212 / 9754210012 / 9754210112

MODEL / 1517 ATEGO



POSITION	A	B	H	C	I	N	Ø
F	377	45	135	105	137	14	15

YVC-2005 MERCEDES

ORJ. NO 6684210212 / 6704210312 / 3704210112 / 6704210012

MODEL VARIO 4.3 TD / 809 D - 811 D



POSITION	A	B	H	C	I	N	Ø
F	324	30	91	118	140	6	M12x1,5


YVC-2006 MERCEDES

ORJ. NO 6684210112 / 6694210112 / 6694210612

MODEL VARIO 2.9 TD / 609 D - 709 D



POSITION	A	B	H	C	I	N	Ø
F	304	30	91	118	140	6	M12x1,5



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Göbek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2007

MERCEDES

ORJ. NO 6274210012

MODEL 560



POSITION	A	B	H	C	I	N	Q
F	432	45	135	194	220	10	M16x1,5

YVC-2008

MERCEDES

ORJ. NO 8285000589 / 1137191 / 11310251

MODEL NIEDERFLUR NF 3 EVOBU



POSITION	A	B	H	C	I	N	Q
F	430	45	131	203	235	10	M16x1,5

YVC-2009

MERCEDES

ORJ. NO 9434210312

MODEL ACTROS, ATEGO, AXOR 2007



POSITION	A	B	H	C	I	N	Q
F	430	45	144	199	168	10 / 2	21 / M12x1,5

YVC-2010

MERCEDES

ORJ. NO 4174210012

MODEL U1100(78))UNIMOG FLANŞ DISK / (U 600(421) U 84 (406) U 1000 U1000/U



POSITION	A	B	H	C	I	N	Q
F-R	374	22	60	22	108	10	16,5

YVC-2011

MERCEDES

ORJ. NO 4164210412 / 4354210412

MODEL 1000UNIMOG/ U1000/UFLANŞU1100(78))DISK (GENİŞ GÖBEK) / (U 600(421) U 84 (406)U



POSITION	A	B	H	C	I	N	Q
F-R	374	22	80	22	108	10	16,5

YVC-2012


MERCEDES

ORJ. NO 9044230212 / 9044230312

MODEL SPRINTER 408 - 412 - 414, VARIO



POSITION	A	B	H	C	I	N	Q
R	285	22	93	120	145	6	15



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2013

MERCEDES

ORJ. NO 9024210912 / 9024210712 / 9024210612 / 9024210412

MODEL TRAVELINERSPRINTER 208TL13- 416- TL14 - TI16



POSITION	A	B	H	C	I	N	Ø
F	275,5	22	77	85	130	5/1	15 / 18/9 H

YVC-2014

MERCEDES

ORJ. NO 4254210012

MODEL UNIMOG DISK (U120/425-U150/425 / U1300/425-U1500/425)



POSITION	A	B	H	C	I	N	Ø
F-R	380	30	68	145	180	8	M18x1,5

YVC-2015

MERCEDES

ORJ. NO -

MODEL AXOR MAÇASIZ



POSITION	A	B	H	C	I	N	Ø
F-R	430	45	133	211	238	10	M14x1,5

YVC-2016

MERCEDES

ORJ. NO 204566

MODEL (BOVA)INTOURO- (CZEPELOTOBÜSBUS) - (IKARUS BUS)



POSITION	A	B	H	C	I	N	Ø
F	432,5	45	135	194	220	10	M16x1,5

YVC-2017

MERCEDES

ORJ. NO 9704230412 / 9704230612

MODEL ATEGO 712-823



POSITION	A	B	H	C	I	N	Ø
R	334	35	111	145	177	8	M12x1,5

YVC-2018


MERCEDES

ORJ. NO 9704230712 / 9704230012 / 9704230512

MODEL ATEGO 917.1023



POSITION	A	B	H	C	I	N	Ø
R	334	34	111	152	177	8	M12x1,5



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2019

MERCEDES

ORJ. NO 9704210112 / 9704210612 / 9704210012 / 9704210212

MODEL ATEGO 712-823



POSITION	A	B	H	C	I	N	Q
F	335	34	102,5	91,5/146	120	10	14,5

YVC-2020

MAN

ORJ. NO 81508030009 / 81508030014 / 81508030015

MODEL E2000, F2000, F90, L2000, M2000L, M2000M, NG, NL, RH, UEL



POSITION	A	B	H	C	I	N	Q
F	437	45	135	200	235	10	M16x1,5

YVC-2021

MAN

ORJ. NO -

MODEL 19.463 SG90 F2000



POSITION	A	B	H	C	I	N	Q
F	432	45	130	131	168	12 / 3	19 / M12x1,5

YVC-2022

MAN

ORJ. NO 81508030061

MODEL L2000, M2000L, M2000M, 12.153



POSITION	A	B	H	C	I	N	Q
R	330	34	124	157	180	12	M12x1,5

YVC-2023

MAN

ORJ. NO 81508030026 / 81508030024

MODEL L2000, M2000L, M2000M, 12.153 - 12.163



POSITION	A	B	H	C	I	N	Q
F	330	34	104	135	158	10	M14x1,5

YVC-2024


MAN

ORJ. NO 81508030061 / 81508030022

MODEL L2000, M2000L, M2000M, 12.163 ABS



POSITION	A	B	H	C	I	N	Q
R	330	34	124	157	180	12	M12x1,5



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2025

MAN

ORJ. NO 81508030023 / 81508030031 / 81508030033 / 81508030034 /
81508030035 / 81508030036 / 81508030038 / 81508030040

MODEL E2000,TGA, TGM,F2000,TG5,L2000,TGX
18.410/460M2000L, M2000M,



POSITION	A	B	H	C	I	N	Ø
F	432	45	130	131	168	12 / 3	19 / M12x1,5

YVC-2026

MAN

ORJ. NO 81508030041 / 81508030021 / 81508033041

MODEL E2000,TGA, TGM,F2000,TG5,L2000,TGX
18.410/460M2000L, M2000M,



POSITION	A	B	H	C	I	N	Ø
R	432	45	135	208	235	10	M16x1,5

YVC-2027

MAN

ORJ. NO 81508030010

MODEL L2000 10.153



POSITION	A	B	H	C	I	N	Ø
F	324	30	102	135	158	10	M14x1,5

YVC-2028

MAN

ORJ. NO 81508030042

MODEL L2000, TGL 12.180



POSITION	A	B	H	C	I	N	Ø
F	336	34	93	90	122	10	15

YVC-2029

MAN

ORJ. NO 81508030063 / 81508030054

MODEL TGL 12.180



POSITION	A	B	H	C	I	N	Ø
R	331	34	118	154	176 / 184	10 / 2	M14x1,5 / M8x1,25

YVC-2030


MAN

ORJ. NO -

MODEL FORTUNA



POSITION	A	B	H	C	I	N	Ø
R	311,5	32	113,5	157	192	6	M12x1,5



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Göbek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2031

MAN

ORJ. NO -

MODEL FORTUNA



POSITION	A	B	H	C	I	N	Q
F	432	45	130	131	168	12 / 3	19 / M12x1,5

YVC-2032

MAN

ORJ. NO -

MODEL FORTUNA



POSITION	A	B	H	C	I	N	Q
R	432	45	135	208	235	10	M16x1,5

YVC-2033

MAN

ORJ. NO 81508030027 / 81508030020 / 81508030057

MODEL L2000, M2000L, M2000M, TGM, NMT



POSITION	A	B	H	C	I	N	Q
F	377	45	128	162	195	10	M14x1,5

YVC-2034

IVECO

ORJ. NO 1907631 / 1908614 / 1908729 / 7173317 / 718111 / 2991979

MODEL EURO CARGO - EUROTCH - EUROSTAR



POSITION	A	B	H	C	I	N	Q
F	430	50	102	170	194,5	12	M16x2

YVC-2035

IVECO

ORJ. NO 19064612996329 // 19064387192305 / 7182305 / 7179778 / 2992470

MODEL EUROTCH - EUROSTAR - EUROTRAKKER



POSITION	A	B	H	C	I	N	Q
F-R	436	45	138	210	240	12	M16x2

YVC-2036


IVECO

ORJ. NO 7171274 / 1904532 / 7168368

MODEL IVECO 65.12 - 85.12 - 79.14



POSITION	A	B	H	C	I	N	Q
F	315	26	118	160	205	6/2	18,5 / M10x1,5



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2037

IVECO

ORJ. NO 7182682

MODEL EUROARGO - EUROBUS



POSITION	A	B	H	C	I	N	Ø
F-R	322	30	134	215	275	8/2	20,3 / M10x1,5

YVC-2038

IVECO

ORJ. NO 1907726 / 1907526 / 1907527 / 1907530 / 7172018 / 1908578

MODEL EUROARGO - EUROBUS



POSITION	A	B	H	C	I	N	Ø
F-R	322	30	134	215	275	8/2	20,3 / M10x1,5

YVC-2039

IVECO

ORJ. NO 93800492 / 1904529 / 5938118

MODEL DAILY



POSITION	A	B	H	C	I	N	Ø
F	267	14,5	111	58	170	6/3	12,5 / M6

YVC-2040

IVECO

ORJ. NO 7182772-Y

MODEL EUROBUS



POSITION	A	B	H	C	I	N	Ø
F	322	30	134	215	275	8/2	20,2 / M10

YVC-2041

IVECO

ORJ. NO 7182770-Y

MODEL EUROBUS



POSITION	A	B	H	C	I	N	Ø
R	322	30	134	215	275	8/2	20,2 / M10

YVC-2042


IVECO

ORJ. NO 2995812 / 2996328 / 7189476 / 7185503

MODEL STRALIS (ABS)



POSITION	A	B	H	C	I	N	Ø
R	432	45	154	210	240	12	M16x2



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2043

IVECO

ORJ. NO 7187541 / 2995894 / 2995702

MODEL EUROCARGO



POSITION	A	B	H	C	I	N	Q
F	377	45	107	113	144	14	15

YVC-2044

IVECO

ORJ. NO -

MODEL EUROCARGO - EUROBUS MAÇASIZ



POSITION	A	B	H	C	I	N	Q
F	322	30	134	215	275	8/2	20,3 / M10x1,5

YVC-2045

IVECO

ORJ. NO -

MODEL EUROCARGO - EUROBUS MAÇASIZ



POSITION	A	B	H	C	I	N	Q
R	322	30	134	215	275	8/2	20,3 / M10x1,5

YVC-2046

IVECO

ORJ. NO 60260

MODEL EUROCARGO - 85E13



POSITION	A	B	H	C	I	N	Q
F	322	30	134	160	205	6/2	18,45 / M10x1,5

YVC-2047

IVECO

ORJ. NO 1907725 / 1907528 / 1907529 / 1908577 / 7173036

MODEL EUROCARGO 60/65/75 E 10/12/14



POSITION	A	B	H	C	I	N	Q
F-R	304	30	128,5	165	205	6/2	18,1 / M10x1,5

YVC-2048


IVECO

ORJ. NO 01906466 / 7183632

MODEL EUROCARGO ABS - 120E21



POSITION	A	B	H	C	I	N	Q
R	330	34	141	211	275	8/2	20 / M10



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Kople Boyu - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2049

IVECO

ORJ. NO 2992477 / 2996327

MODEL STRALİSEUROCARGOABS'SİZ- EUROTCH - EUROT-
RAKKER



POSITION	A	B	H	C	I	N	Ø
F-R	432	45	139	210	240	12	M16x2

YVC-2050

IVECO

ORJ. NO IVECO EUROCARGO 220 E 21

MODEL -



POSITION	A	B	H	C	I	N	Ø
R	378	45	150	225	275	8/2	22 / M10x1,5

YVC-2051

RENAULT

ORJ. NO 5010216437

MODEL MAGNUM - PREMIUM-270



POSITION	A	B	H	C	I	N	Ø
F	438	45	97	131	165	10 / 2	17 / M14x2

YVC-2052

RENAULT

ORJ. NO 5010260218

MODEL MIDLUM



POSITION	A	B	H	C	I	N	Ø
F	380	45	85	117	144	10 / 2	15 / M14x2

YVC-2053

RENAULT

ORJ. NO 5010422593 / 5010422363

MODEL 400 - 420



POSITION	A	B	H	C	I	N	Ø
F	434	45	97	131	165	10 / 2	16,5 / M14x2

YVC-2054


RENAULT

ORJ. NO 5010525326

MODEL 420



POSITION	A	B	H	C	I	N	Ø
R	434	45	163	260	335	10	32



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2055

RENAULT

ORJ. NO 5010525014

MODEL MIDLUM 220



POSITION	A	B	H	C	I	N	Q
F	375	45	99	117	144	10 / 2	15 / M14x2

YVC-2056

RENAULT

ORJ. NO 5010525362

MODEL MIDLUM 210/220/240/250/270/280



POSITION	A	B	H	C	I	N	Q
R	377	45	166	222	275	8	22,5

YVC-2057

RENAULT

ORJ. NO 5010422262 / 5010525308 / 5010598303

MODEL MIDLUM 150/10



POSITION	A	B	H	C	I	N	Q
F	330	34	80	95	118	10 / 2	15,5 / M12x1,5

YVC-2058

RENAULT

ORJ. NO 5010422263

MODEL MIDLUM 150/10 (ABS'i)



POSITION	A	B	H	C	I	N	Q
R	330	34	137	194	245	6	21

YVC-2059

RENAULT

ORJ. NO 5010260603

MODEL MASCOTT 5.5 - 6 - 6.5 TON



POSITION	A	B	H	C	I	N	Q
F	290	26	42,5	102	120	10	10,8

YVC-2060


RENAULT

ORJ. NO 5010260609

MODEL MASCOTT



POSITION	A	B	H	C	I	N	Q
R	290	22	78	115	132	8	10,8



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2061 RENAULT

ORJ. NO 5001864498

MODEL 440



POSITION	A	B	H	C	I	N	Ø
F-R	434	45	45	220	-	-	-

YVC-2062 RENAULT

ORJ. NO 7700502515

MODEL MAXTER



POSITION	A	B	H	C	I	N	Ø
F	305	28	78	90	130	5/1	15,5 / 17,9

YVC-2063 RENAULT

ORJ. NO 7701466540

MODEL MAXTER (MAÇASIZ)



POSITION	A	B	H	C	I	N	Ø
R	304	12	67	90	130	5/1	15,5 / 17,9

YVC-2064 RENAULT

ORJ. NO 5010260101 / 5010216931

MODEL MIDLINER



POSITION	A	B	H	C	I	N	Ø
F-R	304	30	135	250	205	6	21

YVC-2065 RENAULT

ORJ. NO 5010525364

MODEL MIDLUM 210/220/240/250/270/280 (GENİŞ FLANŞ)



POSITION	A	B	H	C	I	N	Ø
R	376	45	168	262	335	10	33


YVC-2066 RENAULT

ORJ. NO -

MODEL RENAULT 270 ARKA



POSITION	A	B	H	C	I	N	Ø
R	434,5	45	170	264	335	10	33



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2067

DAF

ORJ. NO 1238372 / 299095 / 299295

MODEL Sb2300,ÇİFT KATLISB2700,OTOBÜSS-B3000,FHD82-86SBR3000, SBR3015,



POSITION	A	B	H	C	I	N	Ø
F	460	48	119	170	195	10	M16

YVC-2068

DAF

ORJ. NO 1387439 / 1640561 / 1812563 / 1726138 / 1783346 / 1812582

MODEL CF 85 - XF 95



POSITION	A	B	H	C	I	N	Ø
F-R	432	45	45	217	-	-	-

YVC-2069

DAF

ORJ. NO PAK3546 / AMPB887 / MAK2487

MODEL FA 45.130 - 150 - 160 - 180



POSITION	A	B	H	C	I	N	Ø
F-R	312	30	137	133	155	12	M12x1,75

YVC-2070

DAF

ORJ. NO AMPB860 / AMPB481 / AMPA014 / NJK 2785 / NJK 2989

MODEL FA 50.150 - FA 55.150 FA 55.160



POSITION	A	B	H	C	I	N	Ø
F	375	44	155	128	185	10	M14x1,5

YVC-2071

DAF

ORJ. NO PAK3545 / PAK5513 / AMPB889 / PAK7404 / RAK7404

MODEL FA 45.120



POSITION	A	B	H	C	I	N	Ø
F	315	26	121,5	119	170	10	M12

YVC-2072


BPW

ORJ. NO 0308835010 / 0308835017

MODEL KOGEL 430 DAR BOĞAZ



POSITION	A	B	H	C	I	N	Ø
T	430	45	160	290	335	10	23



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Göbek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2073

BPW

ORJ. NO 0308834020 / 0308834060 / 0308834067

MODEL KOGEL 160 DAR BOĞAZ



POSITION	A	B	H	C	I	N	Q
T	377	45	160	290	335	10	23

YVC-2074

BPW

ORJ. NO 0308834040 / 0308834047 / 0300224093

MODEL KOGEL 160 GENİŞ BOĞAZ / (PAPATYALI)



POSITION	A	B	H	C	I	N	Q
T	377	45	160	290	335	10	23

YVC-2075

BPW

ORJ. NO 0308834080 / 0308834087

MODEL KOGEL 170 DAR BOĞAZ



POSITION	A	B	H	C	I	N	Q
T	377	45	170	290	335	10	23

YVC-2076

BPW

ORJ. NO 0308834100 / 0308834137 / 0308834130

MODEL KOGEL 160 GENİŞ BOĞAZ (298 GÖBEK) / (DÜZ)



POSITION	A	B	H	C	I	N	Q
T	377	45	160	298	335	10	23

YVC-2077

BPW

ORJ. NO 0308834030 / 0308834010 / 0308834017 / 0308834037

MODEL SKH SERIES



POSITION	A	B	H	C	I	N	Q
T	376	45	160	230	275	8	23

YVC-2078


BPW

ORJ. NO 0308835030

MODEL Sb7000 ECO PLUS SH SERIES



POSITION	A	B	H	C	I	N	Q
T	430	45	160	290	335	10	23



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Gübrek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2079

BPW

ORJ. NO 0308835050 / 0308835057

MODEL SOĞUTMALI



POSITION	A	B	H	C	I	N	Ø
T	430	45	160	290	335	10	23

YVC-2080

BPW

ORJ. NO -

MODEL ECO DISK



POSITION	A	B	H	C	I	N	Ø
T	430	45	161	293	335	10	22,5

YVC-2081

SCHMITZ

ORJ. NO 17870

MODEL SCHMITZ G3000



POSITION	A	B	H	C	I	N	Ø
T	430	45	168	290	335	10	22,8

YVC-2082

SAF

ORJ. NO 4079000410 / 4079000700 / 4079000701 / 4079000702 / 4079000703

MODEL SK-RB 9019K-W



POSITION	A	B	H	C	I	N	Ø
T	377	45	140	131	168	12 / 3	19 / M12x1,5

YVC-2083

SAF

ORJ. NO 4079000501 / 4079000500 / 4079000502 / 4079000600

MODEL SKRB 9022 / 22.5"



POSITION	A	B	H	C	I	N	Ø
T	430	45	130	131	168	12 / 3	19 / M12x1,5

YVC-2084


SAF

ORJ. NO 4079000400

MODEL SK 19.5"



POSITION	A	B	H	C	I	N	Ø
T	376	45	158	211	275	8	22,5



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Göbek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2085

SAF

ORJ. NO 4079001001

MODEL 09DORSE (GÖBEKSİZ)-INTEGRAL 19.5"



POSITION	A	B	H	C	I	N	Q
T	376	45	58	170,5	190	10	13,5

YVC-2086

SAF

ORJ. NO 4079001300 / 4079001301 / 4079001302

MODEL 09DORSE (GÖBEKSİZ)-INTEGRAL 22.5"



POSITION	A	B	H	C	I	N	Q
T	430	45	47,5	170,5	190	10	13,5

YVC-2087

SAF

ORJ. NO 4079000300

MODEL SKRS 9022 AXLE



POSITION	A	B	H	C	I	N	Q
T	430	45	160	275	335	10	23

YVC-2088

SAF

ORJ. NO -

MODEL SAF DORSE 2011



POSITION	A	B	H	C	I	N	Q
T	376	45	140,5	189	215	10	M14x1,5

YVC-2089

SAF

ORJ. NO 4079001700

MODEL SAF B9 22.5"



POSITION	A	B	H	C	I	N	Q
T	430	45	131,5	189	215	10	M14x1,5

YVC-2090


FRUEHAUF

ORJ. NO M069018 / M200135 / 13162025

MODEL S345 (ABS'LI)



POSITION	A	B	H	C	I	N	Q
T	430	45	155	280	335	10	26



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Komple Boy - Total Height
C : Göbek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2091 FRUEHAUF

ORJ. NO -

MODEL FRUEHAUF GENİŞ BOĞAZ



POSITION	A	B	H	C	I	N	Ø
T	430	45	160	290	335	10	23

YVC-2092 FRUEHAUF

ORJ. NO -

MODEL FRUEHAUF GENİŞ BOĞAZ (170 BOY)



POSITION	A	B	H	C	I	N	Ø
T	430	45	170	290	335	10	23

YVC-2093 DORSE

ORJ. NO 68323825

MODEL GRONOR DORSE



POSITION	A	B	H	C	I	N	Ø
T	433	45	150	220	249,5	10	M16x2

YVC-2094 DORSE

ORJ. NO 6522256114 / 5089000001

MODEL VALX



POSITION	A	B	H	C	I	N	Ø
-	430	45	187	300	335	10	22,8

YVC-2095 ROR

ORJ. NO 21224263 / 3218H1308

MODEL DX195- (225 GÖBEK)



POSITION	A	B	H	C	I	N	Ø
T	378	45	150	225	275	8/2	24 / M12x1,75


YVC-2096 ROR

ORJ. NO 21225115 / 21227349 / 3218G1333

MODEL DX195- (222 GÖBEK)



POSITION	A	B	H	C	I	N	Ø
T	378	45	150	222	250	10	M16x2



A : Balata Çapı - Diameter Inside
B : Balata Boyu - Brake Surface
H : Kople Boy - Total Height
C : Göbek Çapı - Hub Diameter
I : Delik Merkezi - Distance Between Holes
N : Delik Sayısı - Hole Quantity
Q : Delik Çapı - Hole Diameter

YVC-2097

ROR

ORJ. NO -

MODEL ROR DORSE (222 GÖBEK) ABS'LI



POSITION	A	B	H	C	I	N	Q
T	378	45	150	222	250	10	M16x2

YVC-2098

VOLVO

ORJ. NO 85103803 / 20515093

MODEL FH 12



POSITION	A	B	H	C	I	N	Q
F-R	434	45	45	220	-	-	-

YVC-2099

VOLVO

ORJ. NO 85103804 / 85110495

MODEL FH13 - EURO 5 (410.5)



POSITION	A	B	H	C	I	N	Q
R	410.5	45	45	220	-	-	-

YVC-20100

VOLVO

ORJ. NO 3112965 / 31129650

MODEL B10B,7700, 8500,B10L,8700,B 12B,9700,B7L,9900B 7R,
B 9S, B 9TL



POSITION	A	B	H	C	I	N	Q
F	438	45	127	195	235	10	M16x1.5

YVC-20101

VOLVO

ORJ. NO 3092710 / 8551042

MODEL FH12-16 FM9/12 (MAÇASIZ)



POSITION	A	B	H	C	I	N	Q
F-R	434	45	45	220	-	-	-

ORJ. NO

MODEL

POSITION	A	B	H	C	I	N	Q